IN THE CLAIMS:

Claims 1-7 have been canceled.

Please cancel claims 27, 36, and 45 without prejudice.

Please amend claims 8, 16, 11, 23, 26, 30, 32, 35, 41, and 44 as follows:

Claim 8. (Currently amended) Claim 1. A peelable coating composition, comprising consisting essentially of:

an aqueous polyurethane dispersion resin having an average molecular weight of between 50,000 and 5,000,000 containing at least 40 percent by weight solids contents in an effective amount of from 60 to 95 percent by weight based on the total weight percent of the composition;

a release agent comprising a siloxane <u>present</u> in an <u>effective amount of up to 10</u> <u>amount of from 0.01 to 10.0</u> percent by weight based on the total weight percent of the composition;

a surfactant profoamer comprising a polydimethylsiloxane <u>present</u> in an <u>effective</u> amount of from between 0.1 to 10 percent by weight based on the total weight percent of the composition;

a polyglycol <u>present</u> in an <u>effective</u> amount of from between 0.1 and 20 percent by weight based on the total weight of the composition; and

a thickening agent in an amount of up to 5.0 percent by weight based on the total weight of the composition.

Claim 9 (Previously presented) The peelable coating composition of claim 8, wherein said siloxane is a copolymer.

Claim 10. (Previously presented) The peelable coating composition of claim 8, wherein said siloxane is a polydimethyl-polyether-siloxane block copolymer.

Claim 11. (Currently amended) The peelable coating composition of claim 8, wherein said

release agent is present in an amount of from 0.01 to 10.0 0.5 to 5.0 percent by weight based on the total weight of the composition.

Claim 12. (Previously presented) The peelable coating composition of claim 8, wherein said polyglycol comprises a polypropylene glycol.

Claim 13. (Previously presented) The peelable coating composition of claim 8, wherein said thickening agent is present in an amount of from between 0.01 to 5.0 weigh percent based on the total weight of the composition.

Claim 14. (Previously presented) The peelable coating composition of claim 8, wherein said thickening agent is a polyacrylic polymer.

Claim 15. (Previously presented) The peelable coating composition of claim 8, wherein said thickening agent is a sodium polyacrylic polymer.

Claim 16. (Currently amended) A peelable coating composition, comprising consisting essentially of:

an aqueous polyurethane dispersion resin having an average molecular weight of between 50,000 and 5,000,000 containing at least 40 percent by weight solids contents <u>present</u> in an effective amount of from 60 to 95 percent by weight based on the total weight percent of the composition;

a release agent consisting essentially of a siloxane <u>present</u> in an <u>effective</u> amount of from 0.1 to 10 percent by weight based on the total weight percent of the composition;

a surfactant profoamer consisting essentially of a polydimethylsiloxane <u>present</u> in an effective amount of from between 0.1 to 10 percent by weight based on the total weight percent of the composition;

a polyglycol <u>present</u> in an <u>effective</u> amount of from between 0.1 and 20 percent by weight based on the total weight of the composition, and

a thickening agent <u>present</u> in an amount of up to <u>from</u> 0.01 to 5.0 percent by weight based on the total weight of the composition.

Claim 17. (Previously presented) The peelable coating composition of claim 16, wherein said siloxane is a copolymer.

Claim 18. (Previously presented) The peelable coating composition of claim 16, wherein said siloxane is a polydimethyl-polyether-siloxane block copolymer.

Claim 19. (Previously presented) The peelable coating composition of claim 16, wherein said polyglycol comprises a polypropylene glycol.

Claim 20. (Previously presented) The peelable coating composition of claim 16, wherein said thickening agent is a polyacrylic polymer.

Claim 21. (Previously presented) The peelable coating composition of claim 16, wherein said thickening agent is a sodium polyacrylic polymer.

Claim 22. (Previously presented) The peelable coating composition of claim 8, including a fragrance in an amount of from between 0.01 to 5.0 percent by weight based on the total weight of the composition.

Claim 23. (Currently amended) A peelable coating composition, comprising consisting essentially of:

an aqueous polyurethane dispersion resin having an average molecular weight of between 50,000 and 5,000,000 containing at least 40 percent by weight solids contents in an effective amount of from 60 to 95 percent by weight based on the total weight percent of the composition;

a release agent comprising a siloxane <u>present</u> in an <u>effective</u> amount of <u>up 0.01</u> to 10 percent by weight based on the total weight percent of the composition;

- a surfactant profoamer comprising a polydimethylsiloxane <u>present</u> in an <u>effective</u> amount of from between 0.1 to 10 percent by weight based on the total weight percent of the composition;
- a humitant <u>present</u> in an <u>effective</u> amount of from between 0.1 and 20 percent by weight based on the total weight of the composition; and
- a thickening agent <u>present</u> in an amount of [[up]] <u>from 0.01</u> to 5.0 percent by weight based on the total weight of the composition.
- Claim 24 (Previously presented) The peelable coating composition of claim 23, wherein said siloxane is a copolymer.
- Claim 25. (Previously presented) The peelable coating composition of claim 23, wherein said siloxane is a polydimethyl-polyether-siloxane block copolymer.
- Claim 26. (Currently amended) The peelable coating composition of claim 23, wherein said release agent is present in an amount of from 0.5 to 5.0 0.01 to 10.0 percent by weight based on the total weight of the composition.
- Claim 27. (Cancel) The peelable coating composition of claim 23, wherein said thickening agent is present in an amount of from between 0.01 to 5.0 weigh percent based on the total weight of the composition.
- Claim 28. (Previously presented) The peelable coating composition of claim 23, wherein said thickening agent is a polyacrylic polymer.
- Claim 29. (Previously presented) The peelable coating composition of claim 29, wherein said thickening agent is a sodium polyacrylic polymer.
 - Claim 30. (Currently amended) The peelable coating composition of claim 23, wherein

said humitant polyglycol comprises a polyglycol.

- Claim 31. (Previously presented) The peelable coating composition of claim 30 wherein said polyglycol comprises a polypropylene glycol.
- Claim 32. (Currently amended) A peelable coating composition, consisting essentially of:

an aqueous polyurethane dispersion resin having an average molecular weight of between 50,000 and 5,000,000 containing at least 40 percent by weight solids contents <u>present</u> in an <u>effective</u> amount of from 60 to 95 percent by weight based on the total weight percent of the composition;

a release agent comprising a siloxane <u>present</u> in an <u>effective</u> amount of [[up]] <u>from 0.01</u> to 10 percent by weight based on the total weight percent of the composition;

a surfactant profoamer comprising consisting essentially of a polydimethylsiloxane present in an effective amount of from between 0.1 to 10 percent by weight based on the total weight percent of the composition;

a humitant <u>present</u> in an <u>effective</u> amount of from between 0.1 and 20 percent by weight based on the total weight of the composition; and

a thickening agent in an amount of up to 5.0 percent by weight based on the total weight of the composition.

Claim 33 (Previously presented) The peelable coating composition of claim 32, wherein said siloxane is a copolymer.

Claim 34. (Previously presented) The peelable coating composition of claim 32, wherein said siloxane is a polydimethyl-polyether-siloxane block copolymer.

Claim 35. (Currently amended!) The peelable coating composition of claim 32, wherein said release agent is present in an amount of from 0.5 to 5.0 0.01 to 10.0 percent by weight based

on the total weight of the composition.

Claim 36. (Cancel) The peelable coating composition of claim 32, wherein said thickening agent is present in an amount of from between 0.01 to 5.0 weigh percent based on the total weight of the composition.

Claim 37. (Previously presented) The peelable coating composition of claim 32, wherein said thickening agent is a polyacrylic polymer.

Claim 38. (Previously presented) The peelable coating composition of claim 37, wherein said thickening agent is a sodium polyacrylic polymer.

Claim 39. (Previously presented) The peelable coating composition of claim 32, wherein said humitant comprises a poly glycol.

Claim 40. (Previously presented) The peelable coating composition of claim 39 wherein said polyglycol comprises a polypropylene glycol.

Claim 41. (Currently amended) A peelable coating composition, consisting essentially of:

an aqueous <u>based film forming</u> polyurethane dispersion resin having an average molecular weight of between 50,000 and 5,000,000 containing at least 40 percent by weight solids contents in an effective amount of from 60 to 95 percent by weight based on the total weight percent of the composition;

a release agent comprising a siloxane <u>present</u> in an <u>effective</u> amount of [[up]] <u>from 0.01</u> to 10 percent by weight based on the total weight percent of the composition;

a surfactant profoamer comprising a polydimethylsiloxane present in an effective amount of from between 0.1 to 10 percent by weight based on the total weight percent of the

composition;

a polyglycol <u>present</u> in an <u>effective</u> amount of from between 0.1 and 20 percent by weight based on the total weight of the composition; and

a thickening agent in an amount of up to 5.0 percent by weight based on the total weight of the composition.

Claim 42 (Previously presented) The peelable coating composition of claim 41, wherein said resin comprises a polyvinyl alcohol.

Claim 43. (Previously presented) The peelable coating composition of claim 41, wherein said siloxane is a polydimethyl-polyether-siloxane block copolymer.

Claim 44. (Currently amended) The peelable coating composition of claim 41, wherein said release agent is present in an amount of from 0.5 to 5.0 0.01 to 10.0 percent by weight based on the total weight of the composition.

Claim 45. (Cancel) The peelable coating composition of claim 41, wherein said thickening agent is present in an amount of from between 0.01 to 5.0 weigh percent based on the total weight of the composition.

Claim 46. (Previously presented) The peelable coating composition of claim 41, wherein said thickening agent is a polyacrylic polymer.

Claim 47. (Previously presented) The peelable coating composition of claim 46, wherein said thickening agent is a sodium polyacrylic polymer.

Claim 48. (Previously presented) The peelable coating composition of claim 41, wherein said resin comprises a polyurethane.

Please add the following new claims;

- -Claim 49. (New) The peelable coating composition of claim 23, including the addition of a foam stabilizer comprising an alkanolamide present in an amount of from between 0.01 and 10.0 percent by weight based on the total weight of the composition.
- -Claim 50. (New) The peelable coating composition of claim 32, including the addition of an antiskinning agent comprising an antioxidant present in an amount of from between 0.01 and 2 percent by weight.--
- -Claim 51. (New) The peelable coating composition of claim 41, including the addition of an antiskinning agent comprising an antioxidant present in an amount of from between 0.01 and 2 percent by weight.--